

Raspberry Pi LCD

Driver installation instruction
(method1: online installation)

This manual is applicable to all series of Raspberry Pi LCD, Raspberry Pi board should be

connected to Internet during the installation.

Step 1, Install Raspbian official image

1) Download the latest Raspbian Image from the official website:
<http://director.downloads.raspberrypi.org/raspbian/images/raspbian-2019-04-09/2019-04-08-raspbian-stretch.zip>

2) Format TF card by SDFormatter

3) Burn the official image into TF card by using Win32DiskImager.

Step 2, obtain the LCD driver

Log onto the Raspberry Pi users system to command line (The initial user name: pi
Password:

raspberry)

Get the newest driver from GitHub(Raspberry Pi LCD should be connected to internet)

```
sudo rm -rf LCD-show
```

```
git clone https://github.com/goodtft/LCD-show.git
```

```
chmod -R 755 LCD-show
```

```
cd LCD-show/
```

Step 3, install LCD driver

In case of 2.4" RPi Display (MPI2401):

```
sudo ./LCD24-show
```

In case of 2.8" RPi Display (MPI2801):

```
sudo ./LCD28-show
```

In case of 3.2" RPi Display (MPI3201):

```
sudo ./LCD32-show
```

#In case of 3.5inch RPi Display(MPI3501):

```
sudo ./LCD35-show
```

#In case of 3.5" HDMI Display-B(MPI3508):

```
sudo ./MPI3508-show
```

In case of 4.0inch HDMI Display(MPI4008):

```
sudo ./MPI4008-show
```

In case of 5inch HDMI Display-B(Capacitor touch)(MPI5001):

```
sudo ./MPI5001-show
```

In case of 5inch HDMI Display(Resistance touch)(MPI5008):

```
sudo ./LCD5-show
```

In case of 7inch HDMI Display-B-800X480(MPI7001):

```
sudo ./LCD7B-show
```

In case of 7inch HDMI Display-C-1024X600(MPI7002):

```
sudo ./LCD7C-show
```

the corresponding execution to switch back to Traditional HDMI display.

`sudo ./LCD-hdmi`

Wait for a moment after executing the above command, then you can use the corresponding raspberry

(method2: offline)

This manual is applicable to all series of Raspberry Pi LCD; if you already have the driver

installation CD, can just use it offline.

Step 1, Install Raspbian official image

2)Download the latest Raspbian Image from the official website:

<http://director.downloads.raspberrypi.org/raspbian/images/raspbian-2019-04-09/2019-04-08-raspbian-stretch.zip>

2)Format TF card by SDFormatter

3)Burn the official image into TF card by using Win32DiskImager.

Step 2, obtain the LCD driver

Extract from the companion CD or Download from the following address;

<https://github.com/goodtft/LCD-show>

<http://www.hellolcd.com/wiki/LCD-show>

Copy the LCD-show.tar.gz drive to the Raspberry Pi system root directory
(Suggestion:

copy flash driver directly to TF card after completion of Step 1, or copy by SFTP or other

methods for remote copy). Unzip and extract drive files as the following command:

`cd /boot`

`sudo tar zxvf LCD-show.tar.gz`

`cd LCD-show/`

Step 3, install LCD driver

The same as method1-Setp3.